

A-BLENDS

	A-17	A-24	A-31	A-40	A-46	A-55	A-60	A-67	A-70	A-75	A-80	A-85	A-91	A-108
WEIGHT%														
PRO	0.00	0.00	0.00	8.88	15.15	25.03	30.78	39.17	42.89	49.26	55.87	62.73	71.29	100.00
ISO	0.00	50.00	100.00	91.12	84.85	74.97	69.22	60.83	57.11	50.74	44.13	37.27	28.71	0.00
NOR	100.00	50.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MOLE%														
PRO	0.00	0.00	0.00	11.38	19.05	30.56	36.95	45.91	49.75	56.13	62.53	68.93	76.60	100.00
ISO	0.00	50.00	100.00	88.62	80.95	69.44	63.05	54.09	50.25	43.87	37.47	31.07	23.40	0.00
NOR	100.00	50.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LIQ VOL%														
PRO	0.00	0.00	0.00	9.76	16.54	27.04	33.04	41.68	45.46	51.86	58.42	65.13	73.37	100.00
ISO	0.00	50.86	100.00	90.24	83.46	72.96	66.96	58.32	54.54	48.14	41.58	34.87	26.63	0.00
NOR	100.00	49.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LBS/GAL														
	4.864	4.780	4.699	4.654	4.622	4.573	4.545	4.505	4.488	4.458	4.427	4.396	4.358	4.234
SG 60 °F														
	0.583	0.573	0.563	0.558	0.554	0.548	0.545	0.540	0.538	0.534	0.531	0.527	0.522	0.507

VAPOR PRESSURE (PSIG)

TEMP °F	A-17	A-24	A-31	A-40	A-46	A-55	A-60	A-67	A-70	A-75	A-80	A-85	A-91	A-108
-40	-11.2	-10.6	-10.0	-8.7	-7.8	-6.5	-5.8	-4.7	-4.3	-3.6	-2.8	-2.1	-1.2	1.5
-35	-11.1	-10.2	-9.4	-7.9	-6.9	-5.5	-4.6	-3.5	-3.0	-2.2	-1.3	-0.5	0.5	3.5
-30	-10.8	-9.8	-8.7	-7.1	-6.0	-4.3	-3.4	-2.1	-1.5	-0.6	0.3	1.2	2.3	5.7
-25	-10.5	-9.2	-7.9	-6.1	-4.9	-3.0	-2.0	-0.6	0.1	1.1	2.1	3.1	4.4	8.1
-20	-10.1	-8.6	-7.1	-5.1	-3.7	-1.6	-0.5	1.1	1.8	2.9	4.1	5.2	6.6	10.8
-15	-9.6	-7.9	-6.2	-3.9	-2.4	-0.1	1.2	2.9	3.7	5.0	6.2	7.5	9.0	13.7
-10	-9.0	-7.1	-5.1	-2.6	-1.0	1.6	3.0	4.9	5.8	7.2	8.6	10.0	11.7	16.8
-5	-8.3	-6.1	-4.0	-1.2	0.6	3.4	4.9	7.1	8.0	9.6	11.1	12.7	14.5	20.2
0	-7.5	-5.1	-2.7	0.3	2.3	5.4	7.1	9.4	10.5	12.2	13.9	15.6	17.6	23.8
5	-6.5	-4.0	-1.4	1.9	4.2	7.5	9.4	12.0	13.1	15.0	16.8	18.7	20.9	27.7
10	-5.5	-2.7	0.1	3.7	6.2	9.8	11.9	14.7	16.0	18.0	20.0	22.1	24.5	31.9
15	-4.4	-1.3	1.8	5.7	8.4	12.4	14.6	17.7	19.0	21.2	23.5	25.7	28.3	36.5
20	-3.1	0.2	3.6	7.9	10.7	15.1	17.5	20.9	22.3	24.7	27.2	29.6	32.5	41.3
25	-1.7	1.9	5.5	10.2	13.3	18.0	20.6	24.3	25.9	28.5	31.1	33.8	36.9	46.5
30	-0.2	3.7	7.6	12.7	16.1	21.2	24.0	28.0	29.7	32.5	35.4	38.2	41.6	52.0
35	1.4	5.6	9.9	15.4	19.0	24.6	27.6	31.9	33.8	36.8	39.9	43.0	46.7	57.9
40	3.2	7.8	12.4	18.3	22.2	28.2	31.5	36.1	38.1	41.4	44.7	48.1	52.0	64.2
45	5.1	10.0	15.0	21.4	25.6	32.1	35.6	40.6	42.8	46.3	49.9	53.5	57.8	70.8
50	7.2	12.5	17.9	24.7	29.3	36.2	40.0	45.4	47.7	51.5	55.4	59.2	63.8	77.9
55	9.4	15.1	20.9	28.3	33.2	40.6	44.7	50.5	53.0	57.1	61.2	65.3	70.3	85.4
60	11.8	18.0	24.2	32.1	37.4	45.3	49.7	55.9	58.6	63.0	67.4	71.8	77.1	93.3
65	14.3	21.0	27.7	36.1	41.8	50.3	55.0	61.6	64.5	69.2	73.9	78.7	84.3	101.6
70	17.0	24.2	31.4	40.4	46.5	55.6	60.6	67.7	70.7	75.8	80.9	85.9	92.0	110.5
75	20.0	27.7	35.4	45.0	51.5	61.2	66.6	74.1	77.4	82.8	88.2	93.6	100.0	119.8
80	23.1	31.3	39.6	49.9	56.8	67.1	72.9	80.9	84.4	90.1	95.9	101.7	108.6	129.6
85	26.4	35.2	44.1	55.0	62.4	73.4	79.5	88.1	91.8	97.9	104.0	110.2	117.5	140.0
90	29.9	39.4	48.8	60.4	68.3	80.0	86.5	95.7	99.6	106.1	112.6	119.1	127.0	150.8
95	33.7	43.8	53.9	66.2	74.5	87.0	93.9	103.6	107.8	114.7	121.6	128.6	136.9	162.2
100	37.6	48.4	59.2	72.3	81.1	94.3	101.7	112.0	116.4	123.8	131.1	138.5	147.3	174.2
105	41.9	53.3	64.8	78.7	88.0	102.1	109.9	120.8	125.5	133.3	141.1	148.9	158.2	186.8
110	46.3	58.5	70.7	85.4	95.3	110.2	118.4	130.0	135.0	143.3	151.5	159.8	169.7	200.0
115	51.1	64.0	76.9	92.4	102.9	118.7	127.5	139.7	145.0	153.7	162.5	171.2	181.7	213.8
120	56.1	69.7	83.4	99.9	111.0	127.6	136.9	149.9	155.4	164.7	173.9	183.2	194.3	228.2
125	61.4	75.8	90.2	107.6	119.4	137.0	146.8	160.5	166.4	176.2	186.0	195.8	207.5	243.3
130	66.9	82.2	97.4	115.8	128.2	146.8	157.2	171.6	177.8	188.2	198.5	208.9	221.3	259.1