

NP-BLENDS

	NP-31	NP-40	NP-46	NP-50	NP-52	NP-55	NP-60	NP-61	NP-65	NP-70	NP-75	NP-80	NP-85	NP-90
WEIGHT%														
PRO	12.02	20.18	25.86	29.75	31.73	34.74	39.88	40.92	45.17	50.62	56.24	62.03	68.01	74.18
ISO	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NOR	87.98	79.82	74.14	70.25	68.27	65.26	60.12	59.08	54.83	49.38	43.76	37.97	31.99	25.82
MOLE%														
PRO	15.26	24.99	31.50	35.82	37.99	41.23	46.65	47.72	52.06	57.47	62.88	68.29	73.70	79.11
ISO	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NOR	84.74	75.01	68.50	64.18	62.01	58.77	53.35	52.28	47.94	42.53	37.12	31.71	26.30	20.89
LIQ VOL%														
PRO	13.57	22.51	28.61	32.73	34.81	37.95	43.25	44.31	48.62	54.08	59.62	65.24	70.95	76.75
ISO	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NOR	86.43	77.49	71.39	67.27	65.19	62.05	56.75	55.69	51.38	45.92	40.38	34.76	29.05	23.25
LBS/GAL														
	4.779	4.722	4.684	4.658	4.645	4.625	4.592	4.585	4.558	4.523	4.488	4.453	4.417	4.380
SG 60 °F														
	0.573	0.566	0.561	0.558	0.557	0.554	0.550	0.549	0.546	0.542	0.538	0.534	0.529	0.525

VAPOR PRESSURE (PSIG)

TEMP °F	NP-31	NP-40	NP-46	NP-50	NP-52	NP-55	NP-60	NP-61	NP-65	NP-70	NP-75	NP-80	NP-85	NP-90
-40	-9.3	-8.0	-7.2	-6.6	-6.4	-6.0	-5.3	-5.1	-4.6	-3.9	-3.2	-2.5	-1.8	-1.2
-35	-8.8	-7.4	-6.5	-5.8	-5.5	-5.0	-4.3	-4.1	-3.5	-2.7	-1.9	-1.1	-0.3	0.5
-30	-8.3	-6.7	-5.6	-4.9	-4.5	-4.0	-3.1	-2.9	-2.2	-1.3	-0.4	0.5	1.4	2.3
-25	-7.7	-5.8	-4.6	-3.8	-3.4	-2.8	-1.8	-1.6	-0.8	0.2	1.2	2.2	3.2	4.3
-20	-6.9	-4.9	-3.5	-2.6	-2.2	-1.5	-0.4	-0.1	0.8	1.9	3.0	4.2	5.3	6.4
-15	-6.0	-3.8	-2.3	-1.3	-0.7	0.0	1.3	1.5	2.5	3.8	5.0	6.3	7.6	8.8
-10	-5.0	-2.5	-0.9	0.3	0.8	1.6	3.0	3.3	4.4	5.8	7.2	8.6	10.0	11.4
-5	-3.9	-1.2	0.7	1.9	2.5	3.5	5.0	5.3	6.5	8.1	9.6	11.1	12.7	14.2
0	-2.7	0.4	2.4	3.7	4.4	5.4	7.1	7.5	8.8	10.5	12.2	13.9	15.6	17.3
5	-1.3	2.0	4.3	5.7	6.5	7.6	9.4	9.8	11.3	13.2	15.0	16.9	18.7	20.6
10	0.2	3.8	6.3	7.9	8.7	9.9	12.0	12.4	14.0	16.0	18.0	20.1	22.1	24.1
15	1.9	5.8	8.5	10.3	11.1	12.5	14.7	15.1	16.9	19.1	21.3	23.5	25.7	27.9
20	3.7	8.0	10.9	12.8	13.8	15.2	17.6	18.1	20.0	22.4	24.8	27.2	29.6	32.0
25	5.6	10.3	13.4	15.5	16.6	18.1	20.8	21.3	23.4	26.0	28.6	31.2	33.8	36.4
30	7.7	12.8	16.2	18.5	19.6	21.3	24.1	24.7	27.0	29.8	32.6	35.4	38.3	41.1
35	10.0	15.5	19.2	21.6	22.9	24.7	27.8	28.4	30.8	33.9	36.9	40.0	43.0	46.1
40	12.5	18.4	22.4	25.0	26.3	28.3	31.6	32.3	34.9	38.2	41.5	44.8	48.1	51.4
45	15.1	21.5	25.8	28.6	30.1	32.2	35.7	36.5	39.3	42.9	46.4	50.0	53.5	57.1
50	17.9	24.8	29.4	32.5	34.0	36.3	40.1	40.9	44.0	47.8	51.6	55.4	59.3	63.1
55	21.0	28.4	33.3	36.6	38.2	40.7	44.8	45.6	48.9	53.0	57.1	61.3	65.4	69.5
60	24.2	32.1	37.4	41.0	42.7	45.4	49.8	50.7	54.2	58.6	63.0	67.4	71.8	76.2
65	27.6	36.1	41.8	45.6	47.5	50.3	55.0	56.0	59.8	64.5	69.2	73.9	78.7	83.4
70	31.3	40.4	46.5	50.5	52.5	55.6	60.6	61.6	65.7	70.7	75.8	80.8	85.9	91.0
75	35.2	44.9	51.4	55.7	57.9	61.1	66.5	67.6	71.9	77.3	82.7	88.1	93.5	98.9
80	39.3	49.7	56.6	61.2	63.5	67.0	72.8	73.9	78.5	84.3	90.1	95.8	101.6	107.4
85	43.7	54.8	62.2	67.1	69.5	73.2	79.4	80.6	85.5	91.7	97.8	103.9	110.1	116.2
90	48.4	60.1	68.0	73.2	75.8	79.8	86.3	87.6	92.9	99.4	105.9	112.5	119.0	125.6
95	53.3	65.8	74.2	79.7	82.5	86.7	93.6	95.0	100.6	107.6	114.5	121.5	128.4	135.4
100	58.5	71.8	80.7	86.6	89.5	94.0	101.4	102.8	108.7	116.1	123.5	130.9	138.3	145.7
105	64.0	78.1	87.5	93.8	96.9	101.6	109.5	111.0	117.3	125.2	133.0	140.8	148.7	156.5
110	69.8	84.7	94.7	101.4	104.7	109.7	118.0	119.7	126.3	134.6	142.9	151.3	159.6	167.9
115	75.9	91.7	102.3	109.4	112.9	118.2	127.0	128.7	135.8	144.6	153.4	162.2	171.0	179.8
120	82.3	99.1	110.3	117.7	121.5	127.1	136.4	138.2	145.7	155.0	164.3	173.6	182.9	192.3
125	89.1	106.8	118.7	126.5	130.5	136.4	146.2	148.2	156.1	165.9	175.8	185.6	195.5	205.3
130	96.3	115.0	127.5	135.8	139.9	146.2	156.6	158.6	167.0	177.4	187.8	198.2	208.6	218.9