DiversifiedCPC INTERNATIONAL
Pure Innovation with YOU in mind.

Product Specification

A-17 Version 1 Revision 5

PROPERTY	SPECIFICATION	TYPICAL ANALYSIS	TEST METHOD
COMPOSITION WGT%			
METHANE	0.03% Max	< 0.03%	GAS CHROMATOGRAPHY
ETHANE	0.1% Max	< 0.05%	GAS CHROMATOGRAPHY
PROPANE	1.00% Max	0.25%	GAS CHROMATOGRAPHY
ISOBUTANE	5.00% Max	1.0%	GAS CHROMATOGRAPHY
N-BUTANE	95.0% Min	98.0%	GAS CHROMATOGRAPHY
PENTANES	2.0% Max	1.0%	GAS CHROMATOGRAPHY
VAPOR PRESSURE @ 70° F. (PSIG)	16 - 19	16 - 18	ASTM D-1267
SULFUR (PPM)	1 Max	< 1	ASTM D-6667
BENZENE (PPM)	1 Max	< 1	GAS CHROMATOGRAPHY
MOISTURE (PPM)	5 Max	< 3	ELECTRONIC
ODOR	PASS/MATCH STANDARD	PASS/MATCH STANDARD	PANEL

Effective Date: February 20, 2024 Approved by: Dileep Bendi

24338 W. Durkee Road
Channahon, IL 60410
P: 1-815-424-2000
F: 1-815-424-5289
DiversifiedCPC.com

All product, product specifications, or data are subject to change without notice to improve reliability, function, design or otherwise. Diversified CPC International, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "DCPC"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or any other disclosure relating to any product. To the maximum extent permitted by applicable law, DCPC expressly disclaims, all warranties, including warranties of merchantability or fitness for a particular purpose, regardless of whether oral or written, express or implied, or allegedly arising from any usage of any trade or from any course of dealing in connection with the use of the information contained herein or the product itself. Any statements regarding the suitability of use for a particular application are based on DCPC's knowledge of typical requirements that are often placed on DCPC products in generic applications. Such statements are non-binding with regards to the suitability of use for any particular application. It is the user's responsibility to validate if a particular product with the properties described herein is suitable for use in an application. The parameters provided may vary in different applications. All parameters, including typical parameters, must be validated for each user's application by the user's own technical experts. Any specifications provided by DCPC do not expand or otherwise modify DCPC's General Terms and Conditions of purchase, including, but not limited to, any warranty expressed therein. Except as expressly indicated in writing, DCPC products are not designed for use in any application in which the user's containers, piping, or equipment are not designed or constructed in accordance with all applicable codes and regulations. Users using or selling DCPC products not expressly indicated for use in such applications do so at their own risk. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of DCPC. Product names and markings noted herein may be trademarks of their respective owners. Warning: Unless otherwise specifically indicated, no odorant is added to our products. Do not depend on your sense of smell for leak detection!