

AERON® NIP-BLENDS

	NIP-31	NIP-40	NIP-46	NIP-50	NIP-52	NIP-55	NIP-60	NIP-61	NIP-65	NIP-70	NIP-75	NIP-80	NIP-85	NIP-90
WEIGHT%														
PRO	7.50	16.00	21.90	26.00	28.00	31.20	36.50	37.60	42.10	47.80	53.70	59.80	66.10	72.60
ISO	37.00	33.60	31.20	29.60	28.80	27.50	25.40	25.00	23.20	20.90	18.50	16.10	13.60	11.00
NOR	55.50	50.40	46.90	44.40	43.20	41.30	38.10	37.40	34.70	31.30	27.80	24.10	20.30	16.40
MOLE%														
PRO	9.66	20.07	26.99	31.65	33.89	37.41	43.11	44.27	48.94	54.69	60.46	66.22	71.99	77.74
ISO	36.14	31.97	29.17	27.34	26.44	25.02	22.76	22.33	20.46	18.14	15.80	13.53	11.24	8.94
NOR	54.21	47.96	43.85	41.01	39.67	37.57	34.14	33.40	30.60	27.17	23.74	20.25	16.77	13.32
LIQ VOL%														
PRO	8.41	17.75	24.11	28.47	30.58	33.94	39.44	40.57	45.17	50.92	56.78	62.76	68.84	75.01
ISO	37.40	33.58	30.95	29.21	28.34	26.95	24.73	24.30	22.43	20.06	17.63	15.22	12.76	10.24
NOR	54.19	48.67	44.94	42.32	41.07	39.11	35.83	35.13	32.41	29.02	25.59	22.02	18.40	14.75
LBS/GAL														
	4.749	4.697	4.661	4.636	4.625	4.606	4.575	4.568	4.542	4.510	4.477	4.443	4.409	4.375
SG 60 °F														
	0.569	0.563	0.559	0.556	0.554	0.552	0.548	0.547	0.544	0.540	0.536	0.532	0.528	0.524

VAPOR PRESSURE (PSIG)

TEMP °F	NIP-31	NIP-40	NIP-46	NIP-50	NIP-52	NIP-55	NIP-60	NIP-61	NIP-65	NIP-70	NIP-75	NIP-80	NIP-85	NIP-90
-40	-9.6	-8.3	-7.4	-6.9	-6.6	-6.2	-5.5	-5.3	-4.7	-4.0	-3.3	-2.6	-1.9	-1.2
-35	-9.1	-7.6	-6.6	-6.0	-5.7	-5.2	-4.4	-4.2	-3.6	-2.8	-2.0	-1.2	-0.4	0.4
-30	-8.5	-6.8	-5.7	-5.0	-4.7	-4.1	-3.2	-3.0	-2.3	-1.4	-0.5	0.4	1.3	2.2
-25	-7.8	-5.9	-4.7	-3.9	-3.5	-2.9	-1.9	-1.7	-0.9	0.2	1.2	2.2	3.2	4.2
-20	-7.0	-4.9	-3.6	-2.7	-2.2	-1.5	-0.4	-0.2	0.7	1.9	3.0	4.1	5.3	6.4
-15	-6.1	-3.8	-2.3	-1.3	-0.8	0.0	1.2	1.5	2.5	3.8	5.0	6.3	7.5	8.8
-10	-5.1	-2.6	-0.9	0.2	0.8	1.6	3.0	3.3	4.4	5.8	7.2	8.6	10.0	11.4
-5	-4.0	-1.2	0.7	1.9	2.5	3.4	5.0	5.3	6.5	8.1	9.6	11.1	12.7	14.2
0	-2.7	0.3	2.4	3.7	4.4	5.4	7.1	7.4	8.8	10.5	12.2	13.9	15.6	17.3
5	-1.4	2.0	4.2	5.7	6.4	7.6	9.4	9.8	11.3	13.1	15.0	16.8	18.7	20.6
10	0.1	3.8	6.2	7.9	8.7	9.9	11.9	12.3	14.0	16.0	18.0	20.1	22.1	24.1
15	1.8	5.8	8.4	10.2	11.1	12.4	14.6	15.1	16.9	19.1	21.3	23.5	25.7	27.9
20	3.6	7.9	10.8	12.8	13.7	15.2	17.5	18.0	20.0	22.4	24.8	27.2	29.6	32.0
25	5.5	10.3	13.4	15.5	16.5	18.1	20.7	21.2	23.3	25.9	28.6	31.2	33.8	36.4
30	7.6	12.8	16.2	18.4	19.5	21.3	24.1	24.6	26.9	29.8	32.6	35.4	38.3	41.1
35	9.9	15.5	19.1	21.6	22.8	24.7	27.7	28.3	30.8	33.8	36.9	40.0	43.0	46.1
40	12.4	18.3	22.3	25.0	26.3	28.3	31.6	32.2	34.9	38.2	41.5	44.8	48.1	51.4
45	15.0	21.4	25.7	28.6	30.0	32.2	35.7	36.4	39.3	42.8	46.4	50.0	53.5	57.1
50	17.9	24.8	29.4	32.5	34.0	36.3	40.1	40.8	44.0	47.8	51.6	55.4	59.3	63.1
55	20.9	28.3	33.2	36.6	38.2	40.7	44.8	45.6	48.9	53.0	57.1	61.3	65.4	69.5
60	24.1	32.1	37.4	41.0	42.7	45.4	49.7	50.6	54.2	58.6	63.0	67.4	71.8	76.2
65	27.6	36.1	41.8	45.6	47.4	50.3	55.0	56.0	59.8	64.5	69.2	74.0	78.7	83.4
70	31.3	40.4	46.5	50.5	52.5	55.6	60.6	61.6	65.7	70.7	75.8	80.9	85.9	91.0
75	35.2	44.9	51.4	55.8	57.9	61.2	66.5	67.6	72.0	77.4	82.8	88.2	93.6	99.0
80	39.3	49.7	56.7	61.3	63.6	67.1	72.8	73.9	78.6	84.3	90.1	95.9	101.6	107.4
85	43.8	54.8	62.2	67.2	69.6	73.3	79.4	80.6	85.6	91.7	97.8	104.0	110.1	116.3
90	48.4	60.2	68.1	73.4	75.9	79.9	86.3	87.7	93.0	99.5	106.0	112.5	119.1	125.6
95	53.4	65.9	74.3	79.9	82.6	86.8	93.7	95.1	100.7	107.6	114.6	121.5	128.5	135.4
100	58.6	71.9	80.8	86.8	89.6	94.1	101.4	102.9	108.9	116.2	123.6	131.0	138.4	145.7
105	64.1	78.3	87.7	94.0	97.0	101.8	109.6	111.1	117.5	125.3	133.1	140.9	148.8	156.6
110	70.0	84.9	94.9	101.6	104.8	109.9	118.1	119.8	126.5	134.8	143.1	151.4	159.7	168.0
115	76.1	92.0	102.5	109.6	113.0	118.4	127.1	128.9	136.0	144.7	153.5	162.3	171.1	179.9
120	82.6	99.3	110.5	118.0	121.6	127.3	136.5	138.4	145.9	155.2	164.5	173.8	183.1	192.3
125	89.4	107.1	118.9	126.8	130.7	136.7	146.4	148.3	156.3	166.1	175.9	185.8	195.6	205.4
130	96.5	115.2	127.7	136.1	140.1	146.4	156.7	158.8	167.2	177.6	187.9	198.3	208.7	219.0